

Welcome to RF Paving, thank you for taking the time to read and browse through our brochure.

We hope that you find everything that you need, but if you have any questions just pick up the phone or pop in to see us, we are always happy to help!

RF Landscape Products was established back in 1993 with RF Paving becoming one of the UK's leading brands today. We offer a vast range of products from landscaping to interior porcelain wall and floor tiles. Our reputation has been built on product quality and outstanding customer service, which we believe has been the forefront of our growth. As we continue to grow, we will ensure that these qualities will always be a main part of our vision.



Our main distribution depot is based in Yorkshire, where we have a full outdoor display of all of our products, as well as a state-of-the-art internal porcelain tile showroom, which opened in May 2017. In 2018 we invested in building a warehouse to accommodate RF Tiles and the Contemporary Paving range.



This side of the company is continuously expanding with new product ranges including; our walling range, internal porcelain tiles, drive stone cobble setts and much, much more, which can all be seen in this exciting new brochure.

To compliment our paving ranges, we now stock a full paving package. This includes; sharp sand, building sand, crusher run, cement, jointing compounds, geo fabric, artificial grass and cutting blades. By taking this step we are now happy to promote our company as a one-stop-shop!!!

In addition to our main distribution depot in Yorkshire, we also accommodate bulk trade orders from our facilities in Suffolk, which enable us to provide full UK coverage to our nationwide stockists. Many of these stockists have full product displays and experienced teams who are ready to advise and assist you. To find your closest stockist, please just ask!



To compliment this brochure, our websites and social media pages are constantly updated with information and products, as well as innovative blogs and ideas for inspiration.

Here at RF we pride ourselves in sourcing the finest quality products to ensure our customers have the highest level of satisfaction.

Because the majority of our products are imported, we pay particular attention to our suppliers' sustainability measures. We source over 90% of our products from our own international team, which ensures we have full traceability and accountability. With this our products are guaranteed to be responsibly sourced and packed to the highest standard.

We only work with exporters who have a good reputation and who understand the needs of our customers.

Having high levels of stock within the UK, means availability is rarely an issue especially in our core lines. This brochure and our websites present each product we have to offer. However, as always, the best way to appreciate the colours and quality of the ranges is to view it at your nearest stockist or at our main depot. We even distribute samples upon request.

If you have a particular product or design in mind, which we do not stock as standard, please ask, as we can order to your bespoke requirements.

Orders can be picked, packed and delivered to your exact requirements. With our own fleet of trucks, our transport department can arrange deliveries on a range of vehicles; rigids and artics with demountable Moffatt forklift off load if required. We also use trusted and reliable palletised networks for deliveries which are out of our area, to ensure that the goods get to you in the most efficient and monitored way possible.



Why not visit our showroom to discuss your upcoming project, view our products and enjoy a free coffee. We can walk you through the experience, advise and support when needed.

Alternatively, give us a call and we will do all we can to help you transform your space.

If you are a trades person or private individual, we will offer you the best products and services at amazing prices. Whatever your requirements, please do not hesitate to contact us.

Have a look at our social media platforms for inspiration:



£

We hope you enjoy reading our brochure.

Guide To The RF Paving Brochure

We understand that beginning your project can be a daunting step, we have created this quide to help you navigate your way around our brochure.

If at any point you are unsure give us a call and we will be happy to help you.

Flow Chart of Processes when buying paving from RF



Disclaimer: Natural Stone

Because of their origins, natural products may vary in colour and/or texture. Colour variations, blemishes and mineral veins are expected and often add to the character of the stone. Before laying, if you are not happy with the product supplied, or with the colour variation, then please let us know as soon as possible and we will do our very best to help. We cannot accept product returns or be held responsible for any defect once the product has been laid. Please note the colours shown within the brochure are as accurate as photography and printing will allow.

Getting to know our products!

You may come across terminology within the brochure which you may not know the meaning of, as some of the terms are industry specific. We hope the glossary will give you some clarity and guidance to assist you in choosing the right product. If there is anything what you do not understand, please give us a call, we will be happy to help you.

GLOSSARY OF TERMS

Vitrified

Rectified

| ierm | Meaning |
|---------------|--|
| Calibrated | Referring to the thickness, a process that cuts the paving to the required measurement, leaving the natural surface on top. |
| | |
| Un-calibrated | This refers to stone that hasn't been through the calibrating process, the paving may vary in thickness. |
| Riven | The natural surface derived from when the stone is quarried and split, leaving an irregular surface that is paying in its most |

Shot blasted Referring to a process that alters the surface of the paying. Removing the riven surface to create a 'orange peel effect', in turn creating more grip on the finished surface.

As it suggests, this refers to the edges of the paving when its Hand Cut hand split. The most traditional form of edge, leaving a very

> Referring to a process that alters the surface of the paying creating a smooth, polished surface, a very contemporary

Referring to a process during production of the tile, which changes the characteristics to become extremely hard and resistant to any type of absorption. This aspect makes the tiles low maintenance

Refers to a tile that's edges have been mechanically finished in order to achieve a precise exterior dimension. The process involves cutting or grinding a tile to a specific size.

A working size is the manufacturers actual dimensions, Working Size within a tolerance of an actual size.

Sawn Edge Refers to all 4 edges of the paving been completely smooth and clean cut. A sawn edge is often a very contemporary

Bull nosed Refers to a rounded profile, given to one or more edges. Often seen on the overhanging edges of steps or copings.

Regulated Referring to the paving thickness. An intermediate between calibrated and uncalibrated within a tolerance of 21mm to

Moffatt This is a demountable forklift truck used by our delivery vehicles to load and off load goods.

Referring to an articulated vehicle which carries approximately 28 tonnes. A longer vehicle limiting its access domestically.

Referring to a vehicle that is shorter in length and carries approximately 14 tonnes and in our case is a 6-wheel truck. Sub base

Referring to the prepared base for the paving to be laid upon. Which is usually a compacted crusher run, this is a mixture of sand, cement and mortar used to bed the paving.

This is a wet mixture of sand cement and water used to bed the paving on your prepared subbase.

Our stone can be purchased in full or part crates, meaning you can order to your exact requirements. Each crate is roughly 1 cubic metre (m³).

| | | | | | Approx. Weight |
|-----------|-------------------------|--------------|-----------------|-------------|----------------|
| Size (mm) | Stone Type | m² per piece | Pieces per Pack | m² per pack | per pack (Kg) |
| 600x290 | Sandstone and Limestone | 0.174 | 120 | 20.88 | 1075 |
| 600x600 | Sandstone and Limestone | 0.36 | 40 | 14.40 | 750 |
| 600x900 | Sandstone and Limestone | 0.54 | 40 | 21.60 | 1150 |
| 600x300 | Granite | 0.18 | 102 | 17.74 | 1000 |
| 600x600 | Granite | 0.36 | 51 | 18.36 | 1050 |
| 600x900 | Granite | 0.54 | 102 | 18.90 | 1100 |

| RF Paving – Project Pack Dimensions (mixed sizes) | | | | |
|---|----------------------|--|--|--|
| RF7 | RF8 | | | |
| 22mm Calibrated | 21-28 Regulated | | | |
| 600 x 900 | 600 x 900 | | | |
| 600 x 600 | 600 x 600 | | | |
| 600 x 290 | 600 x 290 | | | |
| 290 x 290 | 290 x 290 | | | |
| 19.19 metre coverage | 21.50 metre coverage | | | |

| Colour | Pg | RF7 Project Pack | RF8 Project Pack | 600 x 1200 | 600 x 900 | 400 x 1200 | 600 x 600 | 600 x 300 |
|----------------------------|-------|---------------------|--------------------|--------------|------------|------------|-----------|-----------|
| Raj Green Sandstone | 8-9 | • | • | • | • | | • | • |
| Rippon Sandstone | 10-11 | • | • | | • | | • | • |
| Kandla Grey Sandstone | 12-13 | • | • | | • | | • | • |
| Mint Fossil Sandstone | 14 | • | | | • | | | |
| Autumn Brown Sandstone | 15 | • | | | • | | | |
| Raveena Sandstone | 16 | • | | | • | | | |
| Modak Sandstone | 17 | • | | | • | | | |
| Lalitpur Yellow Sandstone | 18 | • | | | • | | | |
| Black Sandstone | 19 | • | | | • | | | |
| Kota Black Limestone | 20-21 | • | | | • | | • | • |
| Granite | 46-47 | | | | • | | | |
| | BESI | POKE SIZES &FINISHE | | | | RANGEMENT | | |
| | | SIZES AV | AILABLE IN THE CON | TEMPORARY PA | VING RANGE | | | |
| Aged Quartz Grey Porcelain | 28-31 | | | | • | | • | |
| Aged Crema Porcelain | 28-31 | | | | • | | • | |
| Aged Anthracite Porcelain | 28-31 | | | | • | | • | |
| Aged Kandla Grey | 32-33 | | | | • | | | |
| Aged Honed Kandla Grey | 32-33 | | | | • | | | |
| Aged Quartz White | 32-33 | | | | • | | | |
| Aged Black Sandstone | 32-33 | | | | • | | | |
| Slate Collection | 34-35 | | | • | | | • | |
| Wals Collection | 37-37 | | | • | | | • | |
| Land Collection | 38-39 | | | | | | • | |
| Extreme Anthracite | 40 | | | | | | • | |
| Chorus White | 41 | | | • | | | • | |
| Aequa Collection | 42-43 | | | | | • | | |
| Camel Buff | 8-9 | | | | • | | | |

Key




Stock Item



Suitable for interior or exterior use



Driveways and Patios



Bullnosed Step



Single Size



Cobbles

100x100mm and 100 x 200mm can be used for edgings and small walls.



Drivestone Cobble Setts



Stepping Stones Used to create a pathway.



20mm Calibrated Standard paving



22mm calibrated Heavy product



Circle Kits Used to create a feature in a patio.



RF7 Project Packs RF7



Project Packs RF8





Coping Can be used for wall topping and heavyduty paving




Kerb Edging Used to define pathways.
















Rippon

Natural Sandstone Paving

Rippon Sandstone paving is an attractive mix of colours set against a buff background. It has a blend of browns, oranges and yellows, with the occasional striking vein running through it.

Rippon paving is ideal to brighten any area, creating a warm summer feel.

You can also get these accessories in this range.



Stock Item



Suitable for both Driveways and Patios







ss Single Size

Circle Kits
Used to create a Used to create a feature in a patio.




Coping
Can be used for wall
topping and heavy duty
paving



Kerb Edging
Used to define pathways







Kandla Grey

Natural Sandstone Paving


Are you wanting to create a modern, minimalistic outdoor area?

Then Kandla Grey Sandstone Paving is the one for you. This sleek, contemporary paver creates a stylish finish without costing a fortune!

It has minimal colour variation with the occasional beige shading running through it.



Photo Credit: Laid by Bespoke Garden Solutions





Raveena

Natural Sandstone Paving

Raveena Sandstone is one of the more unique natural stones we have to offer. It is generally a pale, grey buff colour with purple veining running throughout. The contrasts between the two shades makes this a very distinctive natural stone.

The Raveena Sandstone has hand cut edges and a riven finish.





Modak

Natural Sandstone Paving

Modak Sandstone has various shades of oranges, pinks and pale yellows. This riven paver has a rustic finish, making it ideal for traditional surroundings.









Lalitpur Yellow

Natural Sandstone Paving

Lalitpur Yellow Sandstone has similar colours and shadings as the Mint Fossil paving, however it consists of more of the darker shades of Mint Fossil. This paver is mainly yellow in colour, varying with lighter and darker shades. Lalitpur Yellow is ideal for brightening up any area, bringing a summer feel to any space.

You can also get these accessories in this range.

18

Stock Item

Suitable for both Driveways and Patios

Project Packs RF7

Single Size



Black Sandstone

Natural Sandstone Paving

Black sandstone is the perfect shade if a traditional aged Yorkstone shade is desired.

A dark grey background is beautifully enhanced with subtle yellow shading.

With accurate thickness, calibrated paving is easier to carry, cut and install making it the perfect choice for the DIY enthusiast.

Pre-Order Product (Lead time applicable)













Flamed Dark Granite Cobbles 30mm Depth



Flamed Light Granite Cobbles 40mm Depth



Kandla Grey Cobbles 40-60mm Depth



Raj Green Cobbles 40-60mm Depth

Mint Fossil Cobbles 40-60mm Depth



Kota Black Cobbles 40-60mm Depth



Cobble edging

Cobble edging can be used in many ways such as for driveways and also for decorative and functional edging. Each Sandstone and Limestone sett is hand cut to a depth of between 40-60mm, making these setts extremely durable.

We offer a range of colours that complement the RF Paving range such as Raj Green, Kandla Grey, Mint Fossil and also Kota Black Limestone. We also offer a more contemporary cobble edging in Granite. These setts are sawn sided and calibrated to 30mm for Dark and 40mm for Light. Each sett has a flamed surface making them ideal for commercial areas. All of our sandstone, limestone and granite setts are available in two sizes – 100x100 and 100x200.


Accessories


Natural Stone and Porcelain

Whether you're rounding off your project with the finish it deserves, or you simply fancy adding a little something special to your garden, we've got the ideal accessories for you here at RF Paving.

Whatever you're looking for in creating your ideal, unique outdoor space, we're sure to have the perfect high-quality finishing accessories to suit your design and style.

Many of them are also anti-slip even when wet, and all of them come in a variety of different sizes to suit. If you do not see what you're looking for then please ask, as we can offer many bespoke sizes and finishes on our RF pre-order system.







Porcelain Bullnosed Steps

Available in various sizes and in all of our Italian porcelain colour ranges. Calibrated to 20mm. This product is available to pre-order



Porcelain Bullnosed Copings

Our double bullnosed copings are available in 600x300x20mm in all of our Italian porcelain colour ranges and are calibrated to 20mm. Each have a drip groove on the underside of each bullnosed edge.

This product is available to pre-order



Stone Copings

Our stone copings are calibrated to 50mm thickness. They have naturally riven surfaces and hand cut edges and are available in two different sizes: 320x560x50mm and 420x560x50mm.

A range of colours including Raj Green, Rippon and Kandla Grey. Our stone copings are generally used to finish off either a natural stone or concrete brick wall. They can also be used as fire hearths and also as a very heavy duty (50mm) thick paver.





Bullnosed Sandstone Steps

Our Natural stone bullnosed steps are a stunning way to create steps within your design. They are sawn 3 sides and have a bull nosed edge across the front of the step. This bull nosed edge creates an aspect of safety as well being a stylish finishina touch.

Available in; Raj Green and Kandla Grey.





Stepping Stones

Natural sandstone stepping stones are ideal if you want to create a path through your garden, field, flower bed or even through a small river.

They fit in beautifully with the landscape and they come in a range of colours to suit the design that you are looking for.

The size of each stepping stone is approximately 380 x 560 x 30mm. Our stepping stones are available in a range of colours Raj Green, Autumn Brown, Lalitpur Yellow, Kandla Grey and Rippon.






Drivestone Cobbles:

Cobbles/setts can offer an attractive and extremely durable surface for driveways and can also complement paved areas. They can be used to edge circles, patios and flower beds, and they are very useful for awkward spaces when cutting stones can prove difficult and unattractive.

Our calibrated cobbles/setts are designed with ease of fitting in mind. Each cobble/sett is cut to 30mm or 50mm thickness and sawn to size, prior to being tumbled.

For commercial installations, our 50mm range is ideal.











Raj Green Drivestone Setts

Available in 30mm and 50mm




Kandla Grey Drivestone Setts

Available in 30mm only



Black Sandstone Drivestone Setts

Available in 30mm only



find the perfect look for you.

Cobble Setts


Porcelain

Our porcelain cobbles are a stunning new addition to our Italian Porcelain collection. They look great as edging around the porcelain pavers, as well as on larger areas in replacement of stone cobbles or block paving. The porcelain cobbles are a uniform thickness of 20mm as with our full Italian Porcelain range.

Contemporary Paving

Available in the sizes below: 202x202x20 mm 202x303x20 mm







Rock Grey Porcelain Cobble

Rock Dark Porcelain Cobble

Available in the sizes below: 800x200x20mm

Charcoal Edging

Porcelain

Our porcelain edgings are a new addition to our Italian Porcelain collection.

They look great as edging around the porcelain pavers, as well as on larger areas in replacement of stone cobbles.

They are 800x200x20mm in size and are charcoal black in colouring.

Bullnosed Step

Porcelain

Our single bullnosed steps are available in 600x300x20mm in all of our Italian porcelain colour ranges and are calibrated to 20mm. Each have a drip groove on both undersides.

Stocked items - Chorus White, Slate Anthracite, Slate Piombo and Wals Grigio.

Available in the sizes below. 600x300x20mm



Our Aged range is a collection of pavers that have an authentic and unique appearance.

> 600 x 600 x 20 mm 600 x 900 x 20 mm









Aged Crema


Aged Anthracite



Aged Quartz Grey

You can also get these accessories in this range.











exterior use (See RF Tiles)



Aged Quartz Grey

20mm











Benefits Frost Resistant R11 Anti Slip Rating Easy Maintenance No Sealing Highly Resistant to Algae and Mould

Edged


Aged Collection

Our Aged range is a collection of pavers that have an authentic and unique appearance.

600 x 900 x 20 mm












Aged Honed Kandla Grey



Aged Black Sandstone



Aged Kandla Grey

You can also get these accessories in this range.



Suitable for both
Driveways and Patios





Single Size



Suitable for interior or exterior use (See RF Tiles)



20mm

Benefits

Frost Resistant
R11 Anti Slip Rating
Easy Maintenance
No Sealing
Highly Resistant to
Algae and Mould
Edged





With an authentic appearance our Slate collection replicates the beauty of natural slate while encompassing the many benefits of porcelain.

> 600 x 600 x 20 mm 600 x 1200 x 20 mm













Slate Anthracite

Slate Piombo



Slate Grigio

This is also known as the Ardesia Collection.

You can also get these accessories in this range.



Suitable for both Driveways and Patios



Easy to clean



Single Size



Suitable for interior or exterior use (See RF Tiles) Bullnosed Step (preorder)



Frost Resistant R11 Anti Slip Rating Easy Maintenance No Sealing

Benefits

Highly Resistant to Algae and Mould Edged



Wals Collection

This range has light, natural markings giving a variation of colour movement within each piece, creating a 'non uniform' look to your outdoor space.

> 600 x 600 x 20 mm 600 x 1200 x 20 mm













Wals Beige



Wals Bianco



Quartz Gold

This is also known as the Ollare Collection.

You can also get these accessories in this range.



Suitable for both Driveways and Patios







Suitable for interior or exterior use (See RF Tiles) Bullnosed Step (preorder)



20mm

Benefits

Frost Resistant R11 Anti Slip Rating Easy Maintenance No Sealing Highly Resistant to Algae and Mould Edged



Land Collection

The pavers in this collection are versatile and the sizes allow for them to fit perfectly into any environment, providing a sleek and stylish finish.

> 600 x 600 x 20 mm 800 x 400 x 20 mm











Land Black

Land Muddy





Land Light Grey

Land Ivory

This is also known as the Cemento Collection.

You can also get these accessories in this range.



Suitable for both Driveways and Patios



Easy to clean



Single Size



Suitable for interior or exterior use



Bullnosed Step (preorder)



20mm

Benefits

Frost Resistant R11 Anti Slip Rating Easy Maintenance No Sealing Highly Resistant to Algae and Mould Edged



Extreme Anthracite

Porcelain Paving


Extremely versatile, extremely long-lasting, extremely stylish. Recreating the tones and textures of stone in extra-thick porcelain stoneware, Extreme is the ideal choice for outdoor areas.


Our Italian Porcelain Paver; Extreme Anthracite recreates the textures and tones of Natural Stone. It comes in a 600x600x20mm size allowing for a defined, uniformed area to be created.

The paver has a R11 surface which allows for a anti-slip effect. This range is suitable for patios and driveways.

This porcelain paver is fully vitrified and rectified product of the highest quality.







Town Anthracite

Porcelain Paving

Are you looking for an exterior paving option that will make a statement? Then our Town Anthracite porcelain paving is a perfect choice. This large format tile comes in one size – 900mmx900mm – making it easier to install and giving you fewer grout lines for a cleaner look. Plus, our Town Anthracite porcelain has many benefits over smaller paving options, including:

- A more polished appearance that will enhance your property's exterior.
- Easy installation perfect for DIYers!
- Durability that can withstand even the harshest weather conditions. And much more!

900x900x20 mm









Benefits

Frost Resistant
R11 Anti Slip Rating
Easy Maintenance
No Sealing
Highly Resistant to
Algae and Mould
Edged

DON'T FORGET

Pick up your Porcelain Priming Slurry while in store





Town Grey

Porcelain Paving

Are you looking for a durable yet good-looking porcelain tile? Then look no further than our Town Grey porcelain paving, from our team at Contemporary Paving Online.

This product comes in one large format tile that measures 900mmx900mm, making it much easier to wipe down and giving it a cleaner appearance. Plus, with an R11 slip rating, our Town Grey porcelain is perfect for areas that may be wet or prone to slips and falls.


But that's not all! Our Town Grey paving also boasts scratch resistance, frost resistance, fire resistance, and weather resistance, among many other benefits.

This porcelain paving measures 2 cm thick, perfect for external use. So, Town Grey porcelain is the ideal solution whether you're looking to update your patio, pool area, or any other exterior space.

900x900x20 mm







Benefits

Frost Resistant R11 Anti Slip Rating Easy Maintenance No Sealing Highly Resistant to Algae and Mould Edged

You can also get these accessories in this range.



Suitable for both
Driveways and Patios

Easy to clean



Single Size



Suitable for interior or exterior use



20mm



Aequa Collection

Porcelain

Offering the beauty and colour of wood, in its many grains and types, in a material not altered by water, sun or frost. The Aequa collection has natural characteristics bringing a modern yet organic feel to any garden space.



Available in 400x1200mm





5mm

This is also known as the Bosco Collection.

You can also get these accessories in this range.



Suitable for both Driveways and Patios



Easy to clean




Single Size




Suitable for interior or exterior use (See RF Tiles)



20mm





Benefits

No Sealing

Edged

Frost Resistant R11 Anti Slip Rating Easy Maintenance

Highly Resistant to Algae and Mould

Also available in 600x600mm 300x1600mm on a two week ore-order.



Contemporary

Paving



Priming Slurry



Quick and easy



20kg bags



BS 7533 compliant



Exceptional Bond

Ultra Scape Pro-Prime Slurry Primer is used to provide an exceptional bond between your paving element and your bedding mortar. Pro-Prime Slurry provides an exceptional bond between the mortar bed and all types of paving elements. This requires only the addition of water

on-site.



ProPave

UltraTileFix ProPave Grout is a high specification, decorative, brush-in external tile jointing solution, suitable for use with granite, porcelain and natural stone. The product is available in 4 colours – Cosmic Black. Natural Cashmere, Pebble Grey and Storm Grey - the perfect choice for a seamless transition for outside living spaces.



Ideal for use with 20mm porcelain tiles



Can be used in all weather (Walk on in 24-48 hours)





Cosmic

Black





Storm Grey

Pebble Grey

Cashmere



Left over material can be re-used Fills joints from 3-20mm

Grout









High performance




Smooth effect



Single component







R.L.S Vite System

Easy application caps and clips able to do with just two fingers. Then once adhesive is set remove with rubber mallet or foot.

Also avaliable is spaces to help with paving and interior tiles.



These also work on natural sandstone instalation



Levelling system made up of caps and clips



Cap works on all clips





Aggregates

Decorative stone such as chippings, gravel or cobbles, can really finish off a design. They can be used between paving or complete driveways and paths. A great effect can be achieved by using decorative stone as a mulch in dry plantings, which has the added advantage of suppressing weeds and conserving moisture. We have many colours and sizes on offer; aggregates shown below are available in a 25 kg bag or an 875 kg bulk bag. Each bulk bag will cover an area of approx. 11m² at 50mm depth.



Pea Gravel's beautiful colour variations of browns, blacks and whites ensure it blends with any existing planting scheme. Its size gives it excellent drainage properties and its shapes are mainly rounded.




Golden Gravel is popular because of its attractive blend of colours and shapes. Its rock type is Marine Flint Shingle and its size variation is 10 mm-20 mm



This a very durable and angular product. This product is Green, Grey and Black in appearance with a hint of white and pink.

Cheshire pink

This very popular aggregate has a mix of rounded and angled stones which gives a look of multiple textures within one gravel. The shades of pinks, greys and purples make this a very attractive and decorative gravel.



The 20 mm aggregate has the our RF Kandla Grey Sandstone



Dove Grey Limestone

This particular aggregate consists

of Carboniferous Limestone and

is very hardwearing. It provides a

fantastic look for any backdrop

footpaths and rockery projects.

or garden and is also ideal for

This size variation is 6 mm to

If you are looking for something a little bit different, this product may be perfect for you. It is ideal for planting schemes as it is very dark green when wet, drying to a light green



This aggregate is an angular bright white product with some grevs and pinks throughout and is ideal for enhancing gardens. The rock type is Dolomi



same properties as the 10 mm. However, this thickness is better suited to large area projects. The gravel consists of Carboniferous Limestone and perfectly suits



Horticultural Grit, made up of Quartzite, has excellent drainage properties. It is an ideal product for damp areas or around water features. This product can be used as a permeable layer or joint fill in block paving applications.



Pink Granite is a beautiful product being pink with black and silver flecks. It is very durable, making it fit for purpose



This gravel is made up of sandstone and is perfect if a neutral look is desired. Dales Gravel is multi-coloured and features different angled and rounded stones. Its size range is 10 mm-20 mm.



This particular gravel (rock type Marine Flint Shingle) consists of an attractive blend of colours and



This product is made up of mainly black and white colours with a small number of browns throughout and is ideal for any landscaping project. The rock type of this product is mixed but



This product is ideal for driveways, car parks and pathways due to the inherent strength of the stone. This quarantees that the product will withstand all modes

Tweed Pebbles (mixed Quartzite and Granite) are a multi-coloured rounded gravel. They are very hard wearing and ideal for all home and garden applications



cobbles, from Granite, are a variety of colours and will blend in with any landscape. They are ideal for water features because when wet their colours are beautiful. Sizes are from 50-100m



Our Green Slate Chippings will naturally enhance the look of plants or shrubs and are ideal for using in borders. As with all slate this product becomes vibrant



This product is ideal for large areas of ground coverage. The colours are a mixture of creams and browns. The rock type is a mixture but mainly Flint.



Oyster Pearl Pebbles are a mixture of rounded pebbles of assorted colours. They are suitable for ponds, flower beds and pathways and will look beautiful in any garden or



Plum Slate Chippings add an intense colour to any garden or landscaping project



The irregular shapes, sizes and colours of these Scottish Pebbles rock type Granite, adds to the traditional feeling of an informally designed garden. These pebbles have soft rounded edges making them perfect for a water feature.



This product is naturally rounded and will make an instant impact in any garden. The colour is mainly white with some grey shading. Polar White Cobbles' rock type is Dolomite



The creamy buff colour of Cotswold Chippings can be placed in either a modern or a traditional setting. The hard angles of the stone help to bounce the light, making these chippings ideal for brightening up a dark or shaded area of a garden.



Traditional tumbled cobbles are a variety of colours which ensures they fit in well with any garden colour scheme. Scottish Cobbles are ideal for water features or to highlight a particular part of the landscape. Its rock type is Granite and its size variation is 50-80mm



Our Blue Slate Chippings are ideal for all contemporary projects. Blue is an uncommon slate colour, therefore including it in your garden scheme can present a very distinctive look



Black Basalt is very black when wet. However, when this product is dry it is more of a charcoal grey colour. This gives the product character and the ability to fit in with a natural setting.



Essential for laying paving. Crushed Stone Grit/River/Sharp

Aggregates are ideal for pathways and driveways, drainage, security purposes, animal deterrent and of course, decorative use!

> Use Geo Fabric to suppress weeds.

Ancillary Products

In this section you will find all the products to enhance your space. From the correct cutting blade, to the right jointing compound, all the information about the essential extras you need can be found here.

We have listened to our local customers needs and for 2019, we will now be offering hard landscaping materials such as sand, cement and crusher run. This is in addition to all of our ancillary products.

Crusher Run

We stock:

Cement:

Mixed with sand and water to create a mortar bed and/or traditional mortar joints.

Sand

Grit Sand – a medium to coarse sand used to create a wet mortar (when mixed with cement and water) for bedding paving and/or cobbles. It can also be used in its natural form for laying Drivestone cobble setts.

Building Sand – a fine sand used for a traditional mortar joint for paving and walling.







If you need help with how much building materials you require, please ask any member of our team, they will be happy to help.

We have recently started to stock Instarmac products. Instarmac offer a comprehensive range of ready mixed pastes and cementitious powder wall and floor adhesives and grouts as well as many other products.

We stock

Ultra Tile Fix Pro Flex Rapid Setting Adhesive Ultra Tile Fix Pro Flew Slow Setting Adhesive Pro Grout Flexible in several colours.

A crushed stone used to create the sub base for

paving. To get to your required level we advise;

100mm in depth after compaction, leaving a

850kg bags of Building Sand & Grit Sand

850kg bags of MOT Crusher Run

25KG bags of cement

further 75mm for your mortar bed and paving.



nexus

Nexus are a specialist supplier of innovative products to the paving, landscaping and driveway industries. Here at RF, we supply several of their products.



A quick and easy solution to filling joints between paving slabs and setts, suitable for natural stone and concrete paving. Simple to use, ProJoint™ Fusion™ allows an untrained hand to consistently deliver perfect joints every time - whatever the weather!

ProJoint™ Fusion™: delivers a weed free, frost resistant joint, without staining the paving - saving you time and money. Available in: Neutral, Mid Grey, Basalt & Black.

ProJoint™ V75-WT™

A two-part epoxy resin mortar system suitable for areas of vehicular access up to 7.5 tonnes. Available in three colours: neutral (buff), mid grey and black.

ProJoint™ V35-UV™: A single part PU resin mortar system with 100% UV stability designed for sensitive and expensive stone. Available in three colours: neutral (buff), mid grey and black.

Pro-Joint Porcelain Grout: Specially formulated for porcelain paving, ProJoint™ Porcelain™ Grout has been developed for joint widths of 2-20mm. Ideal for both internal and external use, the antimould technology with added silicone ensures that water is repelled from the surface of the grout whilst still allowing vapour to pass through. Available in three colours: neutral/buff, mid grey and black.



The ProJoint™ Porcelain™ Primer: An ultra-high polymer and fibre modified flexible waterproofing primer with excellent workability and adhesion properties.

Paving & Driveway Cleaner

Is an effective and high strength cleaning concentrate designed for the professional user. The chemical formulation is suitable for removing oil, grease, rubber marks, mould, mildew, algae and general dirt.

Pro-4IO™ Paving Sealer

A high quality solvent based surface selaer based on acrylic resins, $\text{Pro-41O}^{\text{TM}}$ is suitable for internal and external use. It is an impregnating and non-degrading sealer with a matt finish which enhances the colour of natural stone and concrete paving.

Pro-810™ Paving Sealer

A high performance, solvent based surface sealer with an invisible finish which can be applied to all types of natural stone immediately after installation.



AT MARCRIST, WE'RE THE EXPERTS IN CONSTRUCTION DIAMONDS. PRODUCING THE HIGHEST QUALITY **DIAMOND PRODUCTS.**



Based in the UK since our establishment in 1979, we aim to provide our customers with a solution to a problem, before they even knew they needed it, no matter what part of the trade sector you work within.



Our range includes: Tile drilling, Abrasives and Diamond blades

Standard 350 Range

Value range for the professional, without compromising on safety.

Professional 750 Range

Raising standards in quality and performance for professional users.

Premium Professional 850 Range

The best Diamond Tool you have ever used, designed for the premium professional.

Geo Fabric

Groundtex woven geotextile is a multi-purpose woven geotextile fabric that can be used for weed suppression and ground stabilisation in both soft and hard landscaping schemes. Groundtex is a tough woven geo fabric which successfully meets the requirements for use above ground as a heavy duty weed barrier. Due to its excellent strength and tear resistance, Groundtex can also be used below ground as a stabilising and separating geotextile in groundwork and civil engineering applications.

Artificial Grass









Fairhaven This amazing natural looking grass has a super fine texture and

dense with a 38mm pile.



Cypress Hill range. This 38mm grass is extremely durable touch. Open texture and due to its dense thatch,

realistic in appearance.



Oakmount

The newest product in the This stunning 40mm grass is soft and springy to touch. Superb Multi tone with dense light whilst also being soft and brown thatch and memory pile.

Contemporary Paving

Our Inside and Out service.

The Contemporary Paving range allows you to match indoor porcelain tiles with outdoor porcelain slabs. All of our Contemporary Paying ranges allow for a complete design using external paving, internal tiles, bullnosed and special pieces.





Welcome to Contemporary Paving... ...create your perfect inside space.

Contemporary Paving is an offshoot from RF Paving. Specialising in the highest quality Italian porcelain wall and floor tiles, supplying to both retail and commercial markets, we pride ourselves on product quality and outstanding customer service.

Our "go above and beyond attitude", ensures each customer, whether they are buying 10 square metres or 1000 square metres, are made to feel as special as they want their finished space to be.

As an established company, RF Paving has been trading landscaping products for over 20 years, with it becoming one of the UK's leading brands. Always evolving and looking to introduce new product ranges. We identified that external porcelain paving was to become a very sought-after product. After exploring various suppliers, we were introduced to Keope, an Italian company who manufactures and supplies the highest quality of internal and external porcelain, with an in and out range that allows the outside to become inside with matching floor tiles, so your garden becomes a functional extension of your home. Although, the interior tile market is somewhat over saturated, we identified that Keope's distinctive ranges, sizes and finishes could offer a top-quality interior Italian porcelain at a rate that is affordable for all, without compromising on quality.

From this Contemporary Paving was created.

The opening of our showroom at RF's main depot in Yorkshire, in early 2017.

By taking a minimalistic approach we showcase a vast range of styles and sizes. Unlike other tile showrooms which can be somewhat overwhelming, our clean-cut, predominantly wall mounted display, showcases each range in its various shades and finishes, allowing you to be able to feel the texture and quality of your chosen tile. Within the showroom there is an informal seating area to sit and discuss your project. We have a variety of brochures which can help inspire and assist you when making your choice.

Feel free to bring any materials which may help determine the correct tile for your area, whilst enjoying one of our freshly ground coffees.

When choosing our internal tile suppliers, we wanted to make sure that the companies we chose fit our core values.

When Keope was introduced to us, we researched the company to find out their background and who they are. Ceramiche Keope is one of the most renowned manufacturers of porcelain



Scan Me

To visit our website and learn even more about our ever growing company.



You can visit our website on all devices and see what our current ranges are.



Become a stockist or find one closer to you.

You can also use our website to find a stockist closer to you or how to become a stockist yourself.



59

stoneware floor and wall tiles. Its history began in 1995, in Casalgrande. They believe that their main elements behind their success are "to offer solutions characterised by high standards of design, with exceptional technical performance, ideal both for interiors and exteriors, commercial, public and residential spaces". Like ourselves, Keope are a 'Green Thinking' and innovative company, which is always adapting to their market and offer more than just a standard range of tiles for example, bespoke special finishing pieces, which we believe enhances the Contemporary Paving brand.

After working successfully with Keope for over 5 years, we decided to delve further into the porcelain market to see what others had to offer. Both Castlevetro and Lea Ceramica offer ranges which are unique and futuristic in their own way, allowing for statement areas and pieces to be designed. Along with their similar values, we decided to showcase several of their pieces in our showroom.

Please visit our website where we often post blogs and informative posts about new products we have to offer.



Large Format Sizes

We provide large format sizes such as 1200x2400, 1200x1200, 600x1200 and much more making our range adaptable for all markets.

Skirting Boards

Most our ranges offer a 'Battiscopa' which is a unique, bullnosed alternative to traditional wooden skirtings.

Slip Rating

Our tiles are available in many ranges from R9 smooth interior slip rating up to R11 exterior anti-slip.


Bespoke Orders

Your order will be ordered specifically to your requirements, ensuring the same production batch and shades.



Contemporary Paving - Inside and Out Service.

The Contemporary Paving range allows you to match indoor porcelain tiles with outdoor porcelain slabs. All of our Contemporary Paving ranges allow for a complete design using external paving, internal tiles, bullnosed and special pieces.





ELEMENTS LUX CALACATTA GOLD

Please feel welcome to visit us at our showroom at:


RF Landscape Products (Home Of Contmeporary Paving), A19 Doncaster Rd, Whitley, East Yorkshire DN14 OJW.

If you are unable to visit our showroom, or would like to see your chosen tiles in your own space, we can arrange for samples to be sent to you.





| Notes: | |
|--------|---|
| | (y) |
| | ★ 14 28 42 56 70 84 5 ★ 13 26 39 52 65 78 5 ★ 12 24 36 48 60 72 8 |
| | = 11 22 33 44 55 66 7 • 10 20 30 40 50 60 7 • 9 18 27 36 45 54 64 |
| | \omega 8 16 24 32 40 48 5 \tau 7 14 21 28 35 42 4 \tau 6 12 18 24 30 36 4 |
| | |
| | V 2 4 6 8 10 12 1 - 1 2 3 4 5 6 7 |
| | |
| | How to work out how man |
| | Step 1 - Find the length (y) space on our chart above. |
| | Step 2 - Follow the lines u |
| | See our example highlighted a |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



ny m² you need.

and width (x) of your desired

up and across to find the m² of

bove of how to find the m².

